


**Amendments to the Claims**

Please cancel Claims 1, 2, 47 and 48. Please amend Claims 3-5, 10, 22, 34, 43, 49, 50, 55, 67, 79, 88, 92, and 140. The Claim Listing below will replace all prior versions of the claims in the application:

**Claim Listing**


1-2. (Cancelled)

3. (Currently Amended) ~~[[The]]~~ A compound ~~of Claim 1, wherein the compound is~~ represented by the following Structural Formula:



~~[[and]]~~ or a stereoisomer~~[[s]]~~, pharmaceutically acceptable salt~~[[s]]~~, solvate~~[[s]]~~ ~~[[and]]~~ or hydrate~~[[s]]~~ thereof, wherein:

(a) T1 is selected from the group consisting of



(b) R1 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>1</sub>-C<sub>8</sub> alkenyl, aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, and C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl, wherein C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>1</sub>-C<sub>8</sub> alkenyl, aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, and C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0-2</sub>-


alkyl are each optionally substituted with from one to three substituents independently selected from R1';

- (c) R1', R26, R27, R28, R31, Z14', and Z15' are each independently selected from the group consisting of hydrogen, hydroxy, cyano, nitro, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl-COOR<sub>12</sub>, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyloxy, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, aryloxy, aryl-C<sub>0-4</sub>-alkyl, heteroaryl, heterocycloalkyl, C(O)R<sub>13</sub>, COOR<sub>14</sub>, OC(O)R<sub>15</sub>, OS(O)<sub>2</sub>R<sub>16</sub>, N(R<sub>17</sub>)<sub>2</sub>, NR<sub>18</sub>C(O)R<sub>19</sub>, NR<sub>20</sub>SO<sub>2</sub>R<sub>21</sub>, SR<sub>22</sub>, S(O)R<sub>23</sub>, S(O)<sub>2</sub>R<sub>24</sub>, and S(O)<sub>2</sub>N(R<sub>25</sub>)<sub>2</sub>; R<sub>12</sub>, R<sub>13</sub>, R<sub>14</sub>, R<sub>15</sub>, R<sub>16</sub>, R<sub>17</sub>, R<sub>18</sub>, R<sub>19</sub>, R<sub>20</sub>, R<sub>21</sub>, R<sub>22</sub>, R<sub>23</sub>, R<sub>24</sub> and R<sub>25</sub> are each independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl and aryl;
- (d) R<sub>2</sub> is selected from the group consisting of C<sub>0</sub>-C<sub>8</sub> alkyl and C<sub>1-6</sub>-heteroalkyl;
- (e) X is selected from the group consisting of a bond, O, S, S(O)<sub>2</sub> and N;
- (f) U is [[an]] a saturated or partially unsaturated straight chained or branched C<sub>1</sub>-C<sub>10</sub> carbon chain or a C<sub>3</sub>-C<sub>10</sub> saturated or partially unsaturated carbocyclic group ~~aliphatic-linker~~ wherein one carbon atom of the ~~aliphatic-linker~~ group may be replaced with O, NH or S, and wherein such ~~aliphatic-linker~~ group is optionally substituted with R<sub>30</sub>;
- (g) Y is selected from the group consisting of C, O, S, NH and a single bond;
- (h) E is C(R<sub>3</sub>)(R<sub>4</sub>)A ~~or A~~ and wherein
  - (i) A is selected from the group consisting of carboxyl, tetrazole, C<sub>1</sub>-C<sub>6</sub> alkylnitrile, carboxamide, sulfonamide and acylsulfonamide; wherein sulfonamide, acylsulfonamide and tetrazole are each optionally substituted with from one to two groups independently selected from R<sup>7</sup>;
  - (ii) each R<sup>7</sup> is independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> haloalkyl, aryl-C<sub>0</sub>-C<sub>4</sub> alkyl and C<sub>1</sub>-C<sub>6</sub> alkyl, wherein such alkyl and arylalkyl are each optionally substituted with from one to two groups independently selected from R<sup>7'</sup>; each R<sup>7'</sup> is independently selected from halo, C<sub>1</sub>-C<sub>6</sub> alkyl, and haloC<sub>1</sub>-C<sub>6</sub> alkyl;

- (iii) R3 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>5</sub> alkyl, and C<sub>1</sub>-C<sub>5</sub> alkoxy; and
- (iv) R4 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>5</sub> alkyl, C<sub>1</sub>-C<sub>5</sub> alkoxy, aryloxy, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, and aryl C<sub>0</sub>-C<sub>4</sub> alkyl, and R3 and R4 are optionally combined to form a C<sub>3</sub>-C<sub>4</sub> cycloalkyl, and wherein alkyl, alkoxy, cycloalkyl and aryl-alkyl are each optionally substituted with one to three each independently selected from R26;
- (i) Z5 is S or O;
- (j) Z12 is selected from the group consisting of hydrogen and -Z13C<sub>0</sub>-C<sub>3</sub>alkylZ14;
- (k) Z13 is selected from the group consisting of a single bond, CO, CO<sub>2</sub>, CONZ15, and SO<sub>2</sub>;
- (l) Z14 is selected from the group consisting of aryl and heteroaryl, wherein the aryl and heteroaryl is each optionally substituted with from one to three substituents independently selected from Z14';
- (m) Z15 is selected from the group consisting of hydrogen aryl and heteroaryl, wherein the aryl and heteroaryl is each optionally substituted with from one to three substituents independently selected from Z15';
- (n) R9 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkylenyl, halo, aryl-C<sub>0</sub>-C<sub>4</sub> alkyl, heteroaryl, C<sub>1</sub>-C<sub>6</sub> allyl, and OR29, and wherein aryl-C<sub>0</sub>-C<sub>4</sub> alkyl, heteroaryl are each optionally substituted with from one to three independently selected from R27; R29 is selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>4</sub> alkyl;
- (o) R10, R11 are each independently selected from the group consisting of hydrogen, hydroxy, cyano, nitro, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>0</sub>-C<sub>6</sub> alkyl-COOR12'', C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyloxy, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl, aryloxy, C(O)R13', COOR14', OC(O)R15', OS(O)<sub>2</sub>R16', N(R17')<sub>2</sub>, NR18'C(O)R19', NR20'SO<sub>2</sub>R21', SR22', S(O)R23', S(O)<sub>2</sub>R24', and S(O)<sub>2</sub>N(R25')<sub>2</sub>; and wherein aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-


C<sub>0-4</sub>-alkyl, and C<sub>3-6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl are each optionally substituted with from one to three independently selected from R<sub>28</sub>;

- (p) R<sub>12'</sub>, R<sub>12''</sub>, R<sub>13'</sub>, R<sub>14'</sub>, R<sub>15'</sub>, R<sub>16'</sub>, R<sub>17'</sub>, R<sub>18'</sub>, R<sub>19'</sub>, R<sub>20'</sub>, R<sub>21'</sub>, R<sub>22'</sub>, R<sub>23'</sub>, R<sub>24'</sub>, and R<sub>25'</sub> are each independently selected from the group consisting of hydrogen, C<sub>1-6</sub> alkyl and aryl;
- (q) R<sub>30</sub> is selected from the group consisting of C<sub>1-6</sub> alkyl, aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, and C<sub>3-6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl, and wherein C<sub>1-6</sub> alkyl, aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, and C<sub>3-6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl are each optionally substituted with from one to three substituents each independently selected from R<sub>31</sub>;
- (r) R<sub>32</sub> is selected from the group consisting of a bond, hydrogen, halo, C<sub>1-6</sub> alkyl, C<sub>1-6</sub> haloalkyl, and C<sub>1-6</sub> alkyloxy;
- (s) R<sub>33</sub> is selected from the group consisting of phenyl, thiophene, pyridine,




- (u) — provided that when Y is C or a bond, R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, and R<sub>4</sub> are each independently C<sub>1-4</sub> alkyl.


4. (Currently Amended) The compound of Claim ~~[[2]]~~ 3, wherein the compound is represented by the following Structural Formula:




5. (Currently Amended) The compound of Claim [[1]] 3, wherein the compound is represented by the following Structural Formula:



6. (Original) The compound of Claim 5, wherein the compound is represented by the following Structural Formula:



7. (Original) The compound of Claim 6, wherein the compound is represented by the following Structural Formula:



8. - 9. (Cancelled)

10. (Currently Amended) The compound of Claim 7, wherein:

X is -O-;

E is ~~COOH~~ C(R3)(R4)-COOH, C<sub>1</sub>-C<sub>6</sub> alkylcarboxyl, or C(R3)(R4)-C<sub>1</sub>-C<sub>6</sub> alkyl-COOH;

R10 and R11 are each independently selected from the group consisting of hydrogen, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl-COOR<sub>12</sub>", C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, and C<sub>1</sub>-C<sub>6</sub> haloalkyloxy;

R9 is selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>3</sub> alkyl;


R1, R3, and R4 are each independently selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>2</sub> alkyl;

R2 is a bond; and

U is saturated C<sub>1</sub>-C<sub>3</sub> alkyl optionally substituted with C<sub>1</sub>-C<sub>3</sub> alkyl.

11-18. (Cancelled)

19. (Original) The compound of Claim 6, wherein the compound is represented by the following Structural Formula:



20 - 21. (Cancelled)

22. (Currently Amended) The compound of Claim 19, wherein:

X is -O-;

E is ~~COOH~~ C(R3)(R4)-COOH, C<sub>1</sub>-C<sub>6</sub> alkylcarboxyl, or C(R3)(R4)-C<sub>1</sub>-C<sub>6</sub> alkyl-COOH;

R<sub>10</sub> and R<sub>11</sub> are each independently selected from the group consisting of hydrogen, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl-COOR<sub>12</sub>", C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, and C<sub>1</sub>-C<sub>6</sub> haloalkyloxy;

R<sub>9</sub> is selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>3</sub> alkyl;


R<sub>1</sub>, R<sub>3</sub>, and R<sub>4</sub> are each independently selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>2</sub> alkyl;

R<sub>2</sub> is a bond; and

U is saturated C<sub>1</sub>-C<sub>3</sub> alkyl optionally substituted with C<sub>1</sub>-C<sub>3</sub> alkyl.

23-30. (Cancelled)

31. (Original) The compound of Claim 6, wherein the compound is represented by the following Structural Formula:



32-33. (Cancelled)

34. (Currently Amended) The compound of Claim 31, wherein:

X is -O-;

E is ~~COOH~~ C(R3)(R4)-COOH, C<sub>1</sub>-C<sub>6</sub> alkylcarboxyl, or C(R3)(R4)-C<sub>1</sub>-C<sub>6</sub> alkyl-COOH;

R<sub>10</sub> and R<sub>11</sub> are each independently selected from the group consisting of hydrogen, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl-COOR<sub>12</sub>", C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, and C<sub>1</sub>-C<sub>6</sub> haloalkyloxy;

R9 is selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>3</sub> alkyl;  
R1, R3, and R4 are each independently selected from the group consisting of  
hydrogen and C<sub>1</sub>-C<sub>2</sub> alkyl;  
R2 is a bond; and  
U is saturated C<sub>1</sub>-C<sub>3</sub> alkyl optionally substituted with C<sub>1</sub>-C<sub>3</sub> alkyl.

35-42. (Cancelled)

43. (Currently Amended) The compound of Claim [[1]] 3 wherein the compound is selected from the group consisting of:

Racemic-(6-{1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-1H-indol-3-yl)-acetic acid;

Racemic-(6-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1H-indol-3-yl)-acetic acid;

Racemic-(1-Methyl-6-{2-[5-methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1H-indol-3-yl)-acetic acid;

(*S*)-(6-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1H-indol-3-yl)-acetic acid;

(*R*)-(6-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1H-indol-3-yl)-acetic acid;

Racemic-(6-Hydroxy-5-{1-[4-isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethyl}-1H-indol-3-yl)-acetic acid;

(6-{2-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-propoxy}-1-methyl-1H-indol-3-yl)-acetic acid;

(1-Methyl-6-{2-[4-methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-propoxy}-1H-indol-3-yl)-acetic acid;

(6-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1-methyl-1H-indol-3-yl)-acetic acid;

(*R*)-(6-{2-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-propoxy}-1-methyl-1H-indol-3-yl)-acetic acid;




- (*S*)-(6-{2-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-propoxy}-1-methyl-1H-indol-3-yl)-acetic acid;
- Racemic-(1-Methyl-6-{2-[4-methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-propoxy}-1H-indol-3-yl)-acetic acid;
- Racemic-(1-Ethyl-6-{2-[4-isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-propoxy}-1H-indol-3-yl)-acetic acid;
- Racemic-(6-{2-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-propoxy}-1-propyl-1H-indol-3-yl)-acetic acid;
- {1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethyl]-1H-indol-5-yloxy}-acetic acid;
- Racemic(6-{1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-1H-indol-3-yl)-acetic acid;
- Racemic(6-{1-[4-methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-1H-indol-3-yl)-acetic acid;
- (*R*)-(6-{1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-1H-indol-3-yl)-acetic acid;
- (*S*)-(6-{1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-1H-indol-3-yl)-acetic acid;
- (*R*)-(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1H-indol-3-yl)-acetic acid;
- (*S*)-(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1H-indol-3-yl)-acetic acid;
- (5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-1H-indol-3-yl)-acetic acid;
- (*R*)-(1-Methyl-5-{2-[5-methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1H-indol-3-yl)-acetic acid;
- (*S*)-(1-Methyl-5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-1H-indol-3-yl)-acetic acid;
- (1-Methyl-5-{2-[5-methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-1H-indol-3-yl)-acetic acid;

5-{2-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-yl]-propoxy}-1H-indole-2-carboxylic acid; and  
 5-{2-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-yl]-propoxy}-1-methyl-1H-indole-2-carboxylic acid.


44-48. (Cancelled)

49. (Currently Amended) ~~[[The]]~~ A compound of Claim 47, ~~wherein the compound is~~ represented by the following Structural Formula:



~~[[and]]~~ or a stereoisomer~~[[s]]~~, pharmaceutically acceptable salt~~[[s]]~~, solvate~~[[s]]~~ ~~[[and]]~~ or hydrate~~[[s]]~~ thereof, wherein:

(a) T1 is selected from the group consisting of




(b) R1 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>1</sub>-C<sub>8</sub> alkenyl, aryl-C<sub>0.4</sub>-alkyl, aryl-C<sub>1.6</sub>-heteroalkyl, heteroaryl-C<sub>0.4</sub>-alkyl, and C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0.2</sub>-alkyl, wherein C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>1</sub>-C<sub>8</sub> alkenyl, aryl-C<sub>0.4</sub>-alkyl, aryl-C<sub>1.6</sub>-heteroalkyl, heteroaryl-C<sub>0.4</sub>-alkyl, and C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0.2</sub>-alkyl are each optionally substituted with from one to three substituents independently selected from R1';


- (c) R1', R26, R27, R28, R31, Z14', and Z15' are each independently selected from the group consisting of hydrogen, hydroxy, cyano, nitro, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl-COOR12, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyloxy, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, aryloxy, aryl-C<sub>0-4</sub>-alkyl, heteroaryl, heterocycloalkyl, C(O)R13, COOR14, OC(O)R15, OS(O)<sub>2</sub>R16, N(R17)<sub>2</sub>, NR18C(O)R19, NR20SO<sub>2</sub>R21, SR22, S(O)R23, S(O)<sub>2</sub>R24, and S(O)<sub>2</sub>N(R25)<sub>2</sub>; R12, R13, R14, R15, R16, R17, R18, R19, R20, R21, R22, R23, R24 and R25 are each independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl and aryl;
- (d) R2 is selected from the group consisting of C<sub>0</sub>-C<sub>8</sub> alkyl and C<sub>1-6</sub>-heteroalkyl;
- (e) X is selected from the group consisting of a bond, O, S, S(O)<sub>2</sub> and N;
- (f) U is ~~[[an]]~~ a saturated or partially unsaturated straight chained or branched C1-C10 carbon chain or a C3-C10 saturated or partially unsaturated carbocyclic group ~~aliphatic linker~~ wherein one carbon atom of the ~~aliphatic linker~~ group may be replaced with O, NH or S, and wherein such ~~aliphatic linker~~ group is optionally substituted with R30;
- (g) Y is selected from the group consisting of C, O, S, NH and a single bond;
- (h) E is C(R3)(R4)A ~~or A~~ and wherein
- (i) A is selected from the group consisting of carboxyl, tetrazole, C<sub>1</sub>-C<sub>6</sub> alkyl nitrile, carboxamide, sulfonamide and acylsulfonamide; wherein sulfonamide, acylsulfonamide and tetrazole are each optionally substituted with from one to two groups independently selected from R<sup>7</sup>;
  - (ii) each R<sup>7</sup> is independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> haloalkyl, aryl-C<sub>0</sub>-C<sub>4</sub> alkyl and C<sub>1</sub>-C<sub>6</sub> alkyl, wherein such alkyl and arylalkyl are each optionally substituted with from one to two groups independently selected from R7'; each R7' is independently selected from halo, C<sub>1</sub>-C<sub>6</sub> alkyl, and haloC<sub>1</sub>-C<sub>6</sub> alkyl;
  - (iii) R3 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>5</sub> alkyl, and C<sub>1</sub>-C<sub>5</sub> alkoxy; and

- (iv) R4 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>5</sub> alkyl, C<sub>1</sub>-C<sub>5</sub> alkoxy, aryloxy, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, and aryl C<sub>0</sub>-C<sub>4</sub> alkyl, and R3 and R4 are optionally combined to form a C<sub>3</sub>-C<sub>4</sub> cycloalkyl, and wherein alkyl, alkoxy, cycloalkyl and aryl-alkyl are each optionally substituted with one to three each independently selected from R26;
- (i) Z5 is S or O;
- (j) Z12 is selected from the group consisting of hydrogen and -Z13C<sub>0</sub>-C<sub>3</sub>alkylZ14;
- (k) Z13 is selected from the group consisting of a single bond, CO, CO<sub>2</sub>, CONZ15, and SO<sub>2</sub>;
- (l) Z14 is selected from the group consisting of aryl and heteroaryl, wherein the aryl and heteroaryl is each optionally substituted with from one to three substituents independently selected from Z14';
- (m) Z15 is selected from the group consisting of hydrogen aryl and heteroaryl, wherein the aryl and heteroaryl is each optionally substituted with from one to three substituents independently selected from Z15';
- (n) R9 is selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> alkylenyl, halo, aryl-C<sub>0</sub>-C<sub>4</sub> alkyl, heteroaryl, C<sub>1</sub>-C<sub>6</sub> allyl, and OR29, and wherein aryl-C<sub>0</sub>-C<sub>4</sub> alkyl, heteroaryl are each optionally substituted with from one to three independently selected from R27; R29 is selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>4</sub> alkyl;
- (o) R10, R11 are each independently selected from the group consisting of hydrogen, hydroxy, cyano, nitro, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>0</sub>-C<sub>6</sub> alkyl-COOR12'', C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyloxy, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl, aryloxy, C(O)R13', COOR14', OC(O)R15', OS(O)<sub>2</sub>R16', N(R17')<sub>2</sub>, NR18'C(O)R19', NR20'SO<sub>2</sub>R21', SR22', S(O)R23', S(O)<sub>2</sub>R24', and S(O)<sub>2</sub>N(R25')<sub>2</sub>; and wherein aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, and C<sub>3</sub>-C<sub>6</sub> cycloalkylaryl-C<sub>0-2</sub>-alkyl are each optionally substituted with from one to three independently selected from R28;


- (p) R12', R12'', R13', R14', R15', R16', R17', R18', R19', R20', R21', R22', R23', R24', and R25' are each independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl and aryl;
- (q) R30 is selected from the group consisting of C<sub>1</sub>-C<sub>6</sub> alkyl, aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, and C3-C6 cycloalkylaryl-C<sub>0-2</sub>-alkyl, and wherein C<sub>1</sub>-C<sub>6</sub> alkyl, aryl-C<sub>0-4</sub>-alkyl, aryl-C<sub>1-6</sub>-heteroalkyl, heteroaryl-C<sub>0-4</sub>-alkyl, and C3-C6 cycloalkylaryl-C<sub>0-2</sub>-alkyl are each optionally substituted with from one to three substituents each independently selected from R31;
- (r) R32 is selected from the group consisting of a bond, hydrogen, halo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, and C<sub>1</sub>-C<sub>6</sub> alkyloxo;
- (s) R33 is selected from the group consisting of phenyl, thiophene, pyridine,




50. (Currently Amended) The compound of Claim [[47]] 49, wherein the compound is represented by the following Structural Formula:



51. (Original) The compound of Claim 50, wherein the compound is represented by the following Structural Formula:



52. (Original) The compound of Claim 51, wherein the compound is represented by the following Structural Formula:



53-54. (Cancelled)

55. (Currently Amended) The compound of Claim 52, wherein:

X is -O-;

E is ~~-COOH~~ C(R3)(R4)-COOH, C<sub>1</sub>-C<sub>6</sub> alkylcarboxyl, or C(R3)(R4)-C<sub>1</sub>-C<sub>6</sub> alkyl-COOH;

R10 and R11 are each independently selected from the group consisting of hydrogen, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl-COOR<sub>12</sub>", C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, and C<sub>1</sub>-C<sub>6</sub> haloalkyloxy;

R9 is selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>3</sub> alkyl;


R1, R3, and R4 are each independently selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>2</sub> alkyl;

R2 is a bond; and

U is saturated C<sub>1</sub>-C<sub>3</sub> alkyl optionally substituted with C<sub>1</sub>-C<sub>3</sub> alkyl.

56-63. (Cancelled)

64. (Original) The compound of Claim 51, wherein the compound is represented by the following Structural Formula:



65 - 66. (Cancelled)

67. (Currently Amended) The compound of Claim 64, wherein:

X is -O-;

E is ~~COOH~~ C(R3)(R4)-COOH, C<sub>1</sub>-C<sub>6</sub> alkylcarboxyl, or C(R3)(R4)-C<sub>1</sub>-C<sub>6</sub> alkyl-COOH;

R10 and R11 are each independently selected from the group consisting of hydrogen, halo, oxo, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkyl-COOR<sub>12</sub>'', C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, and C<sub>1</sub>-C<sub>6</sub> haloalkyloxy;

R9 is selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>3</sub> alkyl;


R1, R3, and R4 are each independently selected from the group consisting of hydrogen and C<sub>1</sub>-C<sub>2</sub> alkyl;

R2 is a bond; and

U is saturated C<sub>1</sub>-C<sub>3</sub> alkyl optionally substituted with C<sub>1</sub>-C<sub>3</sub> alkyl.

68 - 75. (Cancelled)

76. (Original) The compound of Claim 51, wherein the compound is represented by the following Structural Formula:



77-78. (Cancelled)

79. (Currently Amended) The compound of Claim 76, wherein:

$X$  is  $-O-$ ;

$E$  is  ~~$-COOH$~~   $C(R_3)(R_4)-COOH$ ,  $C_1-C_6$  alkylcarboxyl, or  $C(R_3)(R_4)-C_1-C_6$  alkyl- $COOH$ ;

$R_{10}$  and  $R_{11}$  are each independently selected from the group consisting of hydrogen, halo, oxo,  $C_1-C_6$  alkyl,  $C_1-C_6$  alkyl- $COOR_{12''}$ ,  $C_1-C_6$  alkoxy,  $C_1-C_6$  haloalkyl, and  $C_1-C_6$  haloalkyloxy;

$R_9$  is selected from the group consisting of hydrogen and  $C_1-C_3$  alkyl;

$R_1$ ,  $R_3$ , and  $R_4$  are each independently selected from the group consisting of hydrogen and  $C_1-C_2$  alkyl;

$R_2$  is a bond; and

$U$  is saturated  $C_1-C_3$  alkyl optionally substituted with  $C_1-C_3$  alkyl.

80-87. (Cancelled)

88. (Currently Amended) The compound of Claim ~~[[47]]~~ 49 wherein the compound is selected from the group consisting of:

{5-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-indol-1-yl}-acetic acid;

[5-(5-Methyl-2-phenyl-oxazol-4-ylmethoxy)-indol-1-yl]-acetic acid;



{5-[2-(4-Fluoro-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-acetic acid;  
{5-[2-(4-Benzoyloxy-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-acetic acid;  
2-Methyl-2-(5-{2-[2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-ethoxy}-indol-1-yl)-propionic acid;  
{5-[4-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;  
2-Methyl-2-(5-{2-[4-methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-ethoxy}-indol-1-yl)-propionic acid;  
{5-[2-(3,5-Bis-trifluoromethyl-phenyl)-4-methyl-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;  
{5-[4-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-ylmethoxy]-indol-1-yl}-acetic acid;  
2-Methyl-2-{5-[4-methyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-ylmethoxy]-indol-1-yl}-propionic acid;  
Racemic 2-{5-[4-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-ylmethoxy]-indol-1-yl}-propionic acid;  
{5-[2-(4-Bromo-phenyl)-4-methyl-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;  
{5-[4-Butyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;  
2-{5-[4-Butyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;  
{5-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;  
2-{5-[4-(2-Chloro-6-fluoro-phenoxy)methyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;  
{5-[4-Phenoxy)methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;  
Racemic 2-Methyl-2-{5-[4-phenoxy)methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;  
2-Methyl-2-{5-[4-phenoxy)methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;  
3-{5-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

- 5-{5-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-pentanoic acid;
- 5-{5-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-pentanoic acid;
- {5-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;
- {5-[4-(2-Chloro-6-fluoro-phenoxyethyl)-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;
- 2-{5-[4-(2-Chloro-6-fluoro-phenoxyethyl)-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;
- 5-{5-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-indol-1-yl}-pentanoic acid;
- 5-{5-[2-(4-Bromo-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-pentanoic acid;
- 5-{5-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-pentanoic acid;
- 4-[1-(4-Carboxy-butyl)-1H-indol-5-yloxyethyl]-2-(4-trifluoromethyl-phenyl)-thiazole-5-carboxylic acid;
- 3-{5-[2-(4-Bromo-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-propionic acid;
- 3-{5-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;
- 3-{5-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;
- 4-[1-(2-Carboxy-ethyl)-1H-indol-5-yloxyethyl]-2-(4-trifluoromethyl-phenyl)-thiazole-5-carboxylic acid;
- {5-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethylsulfanyl]-indol-1-yl}-acetic acid;
- {5-[4-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-ylmethoxy]-indol-1-yl}-acetic acid;
- (5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;
- {5-[2-(5-Methyl-2-pyridin-4-yl-thiazol-4-yl)-ethoxy]-indol-1-yl}-acetic acid;

{5-[2-(5-Methyl-2-morpholin-4-yl-thiazol-4-yl)-ethoxy]-indol-1-yl}-acetic acid;  
(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
acid;  
(5-{2-[5-Methyl-2-(tetrahydro-pyran-4-yl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
{5-[2-(2-Butoxy-5-methyl-oxazol-4-yl)-ethoxy]-indol-1-yl}-acetic acid;  
{5-[2-(5-Methyl-2-pyridin-3-yl-thiazol-4-yl)-ethoxy]-indol-1-yl}-acetic acid;  
{5-[2-(5-Methyl-2-pyridin-2-yl-thiazol-4-yl)-ethoxy]-indol-1-yl}-acetic acid;  
(5-{2-[2-(5-Bromo-thiophen-2-yl)-5-methyl-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
{5-[3-(4-Butyl-phenoxy)-propoxy]-indol-1-yl}-acetic acid;  
(5-{2-[2-(3-Bromo-phenyl)-5-methyl-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
acid;  
2-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;  
(5-{2-[2-(2-Chloro-phenyl)-5-ethyl-thiazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
2-(5-{2-[2-(2-Chloro-phenyl)-5-ethyl-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;  
(5-{2-[5-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
acid;  
2-(5-{2-[5-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;  
2-(5-{2-[2-(2-Chloro-phenyl)-5-ethyl-thiazol-4-yl]-ethoxy}-indol-1-yl)-2-methyl-propionic acid;  
Racemic 2-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;  
(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
2-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-2-methyl-propionic acid;  
3-(5-{2-[2-(2-Chloro-phenyl)-5-ethyl-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;  
3-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;

2-Methyl-2-(5-{2-[5-propyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;

Racemic-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-1-methyl-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-indol-1-yl)-acetic acid;

(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-propoxy}-indol-1-yl)-acetic acid;

(S)-(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-propoxy}-indol-1-yl)-acetic acid;

(R)-(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-propoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{1-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{1-[4-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

{5-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

Racemic-2-{5-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

2-Methyl-2-{5-[4-propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

Racemic-2-{5-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

2-Methyl-2-{5-[4-phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

{5-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

{5-[4-Phenyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

{5-[4-tert-Butyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

{5-[4-[2-(2-Chloro-6-fluoro-phenyl)-ethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

2-Methyl-2-[5-(5-methyl-2-phenyl-oxazol-4-ylmethoxy)-indol-1-yl]-propionic acid;

2-{5-[2-(4-Trifluoromethyl-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

2-{5-[2-(4-Fluoro-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

2-{5-[2-(4-Bromo-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

2-Methyl-2-(5-{2-[5-methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;

2-(5-{2-[2-(4-Bromo-phenyl)-5-methyl-oxazol-4-yl]-ethoxy}-indol-1-yl)-2-methyl-propionic acid;

2-(5-{2-[2-(5-Bromo-thiophen-2-yl)-5-methyl-oxazol-4-yl]-ethoxy}-indol-1-yl)-2-methyl-propionic acid;

2-Methyl-2-{5-[2-(5-methyl-2-phenyl-thiazol-4-yl)-ethoxy]-indol-1-yl}-propionic acid;

{5-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-2-methyl-indol-1-yl}-acetic acid;

2-{5-[2-(3,5-Bis-trifluoromethyl-phenyl)-4-methyl-thiazol-5-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

{4-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

Racemic-(5-{1-[4-[2-(2-Chloro-6-fluoro-phenyl)-ethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-2-phenyl-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{1-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

2-{5-[4-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-2-methylpropionic acid;

(*R*)-(5-{1-[4-[2-(2-Chloro-6-fluoro-phenyl)-ethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*S*)-(5-{1-[4-[2-(2-Chloro-6-fluoro-phenyl)-ethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*S*)-(5-{1-[4-[2-phenylethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*R*)-(5-{1-[4-[2-phenylethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*S*)-(5-{1-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*R*)-(5-{1-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*R*)-(5-{1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*R*)-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*S*)-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(*S*)-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-1-methyl-ethoxy}-indol-1-yl)-acetic acid;

(*R*)-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-1-methyl-ethoxy}-indol-1-yl)-acetic acid;

N-(2-{5-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-indol-1-yl}-acetyl)-methanesulfonamide;

N-(2-{5-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-indol-1-yl}-acetyl)-benzenesulfonamide; and  
N-[2-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-acetyl]-methanesulfonamide.

89-91. (Cancelled)

92. (Currently Amended) A method of treating a mammal in need of treatment for a disease, wherein the disease is treatable by modulating a peroxisome proliferator activated receptor, comprising the step of administering to the mammal in need thereof a therapeutically effective amount of the compound of Claim ~~1- or 47~~ 3.

93. (Cancelled)

94. (Original) The method of Claim 92, wherein the disease is selected from the group consisting of diabetes mellitus, Syndrome X, and atherosclerosis.

95. (Original) The method of Claim 94, wherein the disease is diabetes mellitus.

96. (Original) The method of Claim 94, wherein the disease is Syndrome X.

97-139. (Cancelled)

140. (Currently Amended) The compound of Claim ~~[[1]]~~ 3, wherein the compound is selected from the group consisting of:

{5-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-indol-1-yl}-acetic acid;  
[5-(5-Methyl-2-phenyl-oxazol-4-ylmethoxy)-indol-1-yl]-acetic acid;  
{5-[2-(4-Fluoro-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-acetic acid;  
{5-[2-(4-Benzoyloxy-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-acetic acid;

2-Methyl-2-(5-{2-[2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-ethoxy}-indol-1-yl)-propionic acid;

{5-[4-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

2-Methyl-2-(5-{2-[4-methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-ethoxy}-indol-1-yl)-propionic acid;

{5-[2-(3,5-Bis-trifluoromethyl-phenyl)-4-methyl-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

{5-[4-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

2-Methyl-2-{5-[4-methyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

Racemic 2-{5-[4-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

{5-[2-(4-Bromo-phenyl)-4-methyl-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

{5-[4-Butyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

2-{5-[4-Butyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

{5-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

2-{5-[4-(2-Chloro-6-fluoro-phenoxy)methyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

Racemic 2-Methyl-2-{5-[4-phenoxy)methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

2-Methyl-2-{5-[4-phenoxy)methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

3-{5-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

5-{5-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-pentanoic acid;

5-{5-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-pentanoic acid;

{5-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

2-{5-[4-(2-Chloro-6-fluoro-phenoxy)methyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

5-{5-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-indol-1-yl}-pentanoic acid;

5-{5-[2-(4-Bromo-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-pentanoic acid;

3-{5-[2-(4-Bromo-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-propionic acid;



3-{5-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

{5-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethylsulfanyl]-indol-1-yl}-acetic acid;

{5-[4-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-ylmethoxy]-indol-1-yl}-acetic acid;  
(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;

{5-[2-(5-Methyl-2-pyridin-4-yl)-thiazol-4-yl]-ethoxy}-indol-1-yl}-acetic acid;

{5-[2-(5-Methyl-2-morpholin-4-yl)-thiazol-4-yl]-ethoxy}-indol-1-yl}-acetic acid;

(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;

(5-{2-[5-Methyl-2-(tetrahydro-pyran-4-yl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;

{5-[2-(2-Butoxy-5-methyl-oxazol-4-yl)-ethoxy]-indol-1-yl}-acetic acid;

{5-[2-(5-Methyl-2-pyridin-3-yl)-thiazol-4-yl]-ethoxy}-indol-1-yl}-acetic acid;

{5-[2-(5-Methyl-2-pyridin-2-yl)-thiazol-4-yl]-ethoxy}-indol-1-yl}-acetic acid;

(5-{2-[2-(5-Bromo-thiophen-2-yl)-5-methyl-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;

(5-{2-[2-(3-Bromo-phenyl)-5-methyl-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;

(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;

2-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;

(5-{2-[2-(2-Chloro-phenyl)-5-ethyl-thiazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;

2-(5-{2-[2-(2-Chloro-phenyl)-5-ethyl-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;

(5-{2-[5-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;

2-(5-{2-[5-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;

2-(5-{2-[2-(2-Chloro-phenyl)-5-ethyl-thiazol-4-yl]-ethoxy}-indol-1-yl)-2-methyl-propionic acid;

Racemic 2-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-

yl)-propionic acid;  
(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-acetic acid;  
2-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-2-methyl-propionic acid;3-(5-{2-[2-(2-Chloro-phenyl)-5-ethyl-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;  
3-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;  
2-Methyl-2-(5-{2-[5-propyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;  
Racemic-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;  
Racemic-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;  
Racemic-(5-{1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;  
Racemic-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-1-methyl-ethoxy}-indol-1-yl)-acetic acid;  
Racemic-(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-propoxy}-indol-1-yl)-acetic acid;  
(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-propoxy}-indol-1-yl)-acetic acid;  
(S)-(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-propoxy}-indol-1-yl)-acetic acid;  
(R)-(5-{2-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-propoxy}-indol-1-yl)-acetic acid;  
Racemic-(5-{1-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;  
Racemic-(5-{1-[4-Ethyl-2-(4-trifluoromethyl-phenyl)-oxazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;  
{5-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

Racemic-2-{5-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

2-Methyl-2-{5-[4-propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

Racemic-2-{5-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

2-Methyl-2-{5-[4-phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-propionic acid;

{5-[4-tert-Butyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

2-Methyl-2-{5-(5-methyl-2-phenyl-oxazol-4-ylmethoxy)-indol-1-yl}-propionic acid;

2-{5-[2-(4-Trifluoromethyl-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

2-{5-[2-(4-Fluoro-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

2-{5-[2-(4-Bromo-phenyl)-5-methyl-oxazol-4-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

2-Methyl-2-(5-{2-[5-methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-yl]-ethoxy}-indol-1-yl)-propionic acid;

2-(5-{2-[2-(4-Bromo-phenyl)-5-methyl-oxazol-4-yl]-ethoxy}-indol-1-yl)-2-methyl-propionic acid;

2-(5-{2-[2-(5-Bromo-thiophen-2-yl)-5-methyl-oxazol-4-yl]-ethoxy}-indol-1-yl)-2-methyl-propionic acid;

2-Methyl-2-{5-[2-(5-methyl-2-phenyl-thiazol-4-yl)-ethoxy]-indol-1-yl}-propionic acid;

{5-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-2-methyl-indol-1-yl}-acetic acid;

2-{5-[2-(3,5-Bis-trifluoromethyl-phenyl)-4-methyl-thiazol-5-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

{4-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-acetic acid;

Racemic-(5-{1-[4-[2-(2-Chloro-6-fluoro-phenyl)-ethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-2-phenyl-ethoxy}-indol-1-yl)-acetic acid;

Racemic-(5-{1-[4-Phenethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

2-{5-[4-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-ylmethoxy]-indol-1-yl}-2-methyl-propionic acid;

(R)-(5-{1-[4-[2-(2-Chloro-6-fluoro-phenyl)-ethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(S)-(5-{1-[4-[2-(2-Chloro-6-fluoro-phenyl)-ethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(S)-(5-{1-[4-[2-phenylethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(R)-(5-{1-[4-[2-phenylethyl]-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(S)-(5-{1-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(R)-(5-{1-[4-Propyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(R)-(5-{1-[4-Isopropyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(R)-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(S)-(5-{1-[4-Methyl-2-(4-trifluoromethyl-phenyl)-thiazol-5-yl]-ethoxy}-indol-1-yl)-acetic acid;

(S)-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-1-methyl-ethoxy}-indol-1-yl)-acetic acid;

(R)-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-1-methyl-ethoxy}-indol-1-yl)-acetic acid;

N-(2-{5-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-indol-1-yl}-acetyl)-methanesulfonamide;

N-(2-{5-[5-Methyl-2-(4-trifluoromethyl-phenyl)-oxazol-4-ylmethoxy]-indol-1-yl}-acetyl)-benzenesulfonamide; and

N-[2-(5-{2-[5-Ethyl-2-(4-trifluoromethyl-phenyl)-thiazol-4-yl]-ethoxy}-indol-1-yl)-acetyl]-methanesulfonamide.